## Montana Board of Oil and Gas Conservation Environmental Assessment

Operator: Continental Resources, Inc.
Well Name/Number: Thelma 2-14H
Location: NENE Section 14 T25N R55E  County: Richland , MT; Field (or Wildcat) W/C (Bakken Horizontal)
County: Trichland, Wit, Fleid (of Wildeat) W/O (Bakker Florizontal)
Air Quality
(possible concerns)
Long drilling time: No, 30 to 40 days drilling time.  Unusually deep drilling (high horsepower rig): No, triple derrick drilling rig to drill a
19,534'MD/10,104'TVD single lateral horizontal Bakken Formation well.
Possible H2S gas production: Slight chance of H2S gas production.
In/near Class I air quality area: No Class I air quality area nearby.
Air quality permit for flaring/venting (if productive): Yes, DEQ air quality permit required
<u>under 75-2-211.</u>
Mitigation
Mitigation: Air quality permit (AQB review)
<u>x</u> Gas plants/pipelines available for sour gas
Special equipment/procedures requirements
Other:
Comments: No special concerns – using triple derrick drilling rig to drill to
19,534'MD/10,104'TVD single lateral Bakken Formation horizontal well.
Water Quality
(possible concerns)
(possible concerns) Salt/oil based mud: _yes, oil based invert drilling fluids for drilling the intermediate 7" casing string hole. Saltwater (brine) to be used to drill the horizontal lateralFreshwater and freshwater mud system will be used to drill the surface hole.
(possible concerns) Salt/oil based mud: _yes, oil based invert drilling fluids for drilling the intermediate 7" casing string hole. Saltwater (brine) to be used to drill the horizontal lateralFreshwater and freshwater mud system will be used to drill the surface hole. High water table: _No high water table anticipated
(possible concerns) Salt/oil based mud: _yes, oil based invert drilling fluids for drilling the intermediate 7" casing string hole. Saltwater (brine) to be used to drill the horizontal lateralFreshwater and freshwater mud system will be used to drill the surface hole. High water table: _No high water table anticipated Surface drainage leads to live water: Yes, closest drainage is an unnamed ephemeral
(possible concerns) Salt/oil based mud: _yes, oil based invert drilling fluids for drilling the intermediate 7" casing string hole. Saltwater (brine) to be used to drill the horizontal lateralFreshwater and freshwater mud system will be used to drill the surface hole. High water table: _No high water table anticipated Surface drainage leads to live water: Yes, closest drainage is an unnamed ephemeral tributary drainage to Hardscrabble Creek, adjacent to the south end of this location.
(possible concerns) Salt/oil based mud: _yes, oil based invert drilling fluids for drilling the intermediate 7" casing string hole. Saltwater (brine) to be used to drill the horizontal lateralFreshwater and freshwater mud system will be used to drill the surface hole. High water table: _No high water table anticipated Surface drainage leads to live water: Yes, closest drainage is an unnamed ephemeral tributary drainage to Hardscrabble Creek, adjacent to the south end of this location. Within the unnamed ephemeral drainage is a stock pond, about 1 mile to the northeast
(possible concerns) Salt/oil based mud: _yes, oil based invert drilling fluids for drilling the intermediate 7" casing string hole. Saltwater (brine) to be used to drill the horizontal lateral. Freshwater and freshwater mud system will be used to drill the surface hole. High water table: _No high water table anticipated Surface drainage leads to live water: Yes, closest drainage is an unnamed ephemeral tributary drainage to Hardscrabble Creek, adjacent to the south end of this location. Within the unnamed ephemeral drainage is a stock pond, about 1 mile to the northeast from this location. Tributary drainage intersects Hardscrabble Creek about 1.75 miles to
(possible concerns) Salt/oil based mud: _yes, oil based invert drilling fluids for drilling the intermediate 7" casing string hole. Saltwater (brine) to be used to drill the horizontal lateralFreshwater and freshwater mud system will be used to drill the surface hole. High water table: _No high water table anticipated Surface drainage leads to live water: Yes, closest drainage is an unnamed ephemeral tributary drainage to Hardscrabble Creek, adjacent to the south end of this location. Within the unnamed ephemeral drainage is a stock pond, about 1 mile to the northeast
(possible concerns) Salt/oil based mud: _yes, oil based invert drilling fluids for drilling the intermediate 7" casing string hole. Saltwater (brine) to be used to drill the horizontal lateralFreshwater and freshwater mud system will be used to drill the surface hole. High water table: _No high water table anticipated Surface drainage leads to live water: Yes, closest drainage is an unnamed ephemeral tributary drainage to Hardscrabble Creek, adjacent to the south end of this location. Within the unnamed ephemeral drainage is a stock pond, about 1 mile to the northeast from this location. Tributary drainage intersects Hardscrabble Creek about 1.75 miles to the northeast from this location. Water well contamination: _No, closest stock water well is about 5/8 of a mile to the southeast, about ¾ of a mile to south and all other water wells are 1 mile and further
(possible concerns) Salt/oil based mud: _yes, oil based invert drilling fluids for drilling the intermediate 7" casing string hole. Saltwater (brine) to be used to drill the horizontal lateralFreshwater and freshwater mud system will be used to drill the surface hole. High water table: _No high water table anticipated Surface drainage leads to live water: Yes, closest drainage is an unnamed ephemeral tributary drainage to Hardscrabble Creek, adjacent to the south end of this location. Within the unnamed ephemeral drainage is a stock pond, about 1 mile to the northeast from this location. Tributary drainage intersects Hardscrabble Creek about 1.75 miles to the northeast from this location. Water well contamination: _No, closest stock water well is about 5/8 of a mile to the southeast, about ¾ of a mile to south and all other water wells are 1 mile and further from this well location. Depth of these water wells range from 20' to 340'. Surface hole
(possible concerns) Salt/oil based mud: _yes, oil based invert drilling fluids for drilling the intermediate 7" casing string hole. Saltwater (brine) to be used to drill the horizontal lateralFreshwater and freshwater mud system will be used to drill the surface hole. High water table: _No high water table anticipated Surface drainage leads to live water: Yes, closest drainage is an unnamed ephemeral tributary drainage to Hardscrabble Creek, adjacent to the south end of this location. Within the unnamed ephemeral drainage is a stock pond, about 1 mile to the northeast from this location. Tributary drainage intersects Hardscrabble Creek about 1.75 miles to the northeast from this location. Water well contamination: _No, closest stock water well is about 5/8 of a mile to the southeast, about ¾ of a mile to south and all other water wells are 1 mile and further from this well location. Depth of these water wells range from 20' to 340'. Surface hole will be drilled with freshwater and freshwater muds to a depth of 1800'. Surface casing
(possible concerns) Salt/oil based mud: _yes, oil based invert drilling fluids for drilling the intermediate 7" casing string hole. Saltwater (brine) to be used to drill the horizontal lateralFreshwater and freshwater mud system will be used to drill the surface hole. High water table: _No high water table anticipated Surface drainage leads to live water: Yes, closest drainage is an unnamed ephemeral tributary drainage to Hardscrabble Creek, adjacent to the south end of this location. Within the unnamed ephemeral drainage is a stock pond, about 1 mile to the northeast from this location. Tributary drainage intersects Hardscrabble Creek about 1.75 miles to the northeast from this location. Water well contamination: _No, closest stock water well is about 5/8 of a mile to the southeast, about ¾ of a mile to south and all other water wells are 1 mile and further from this well location. Depth of these water wells range from 20' to 340'. Surface hole will be drilled with freshwater and freshwater muds to a depth of 1800'
(possible concerns) Salt/oil based mud: _yes, oil based invert drilling fluids for drilling the intermediate 7" casing string hole. Saltwater (brine) to be used to drill the horizontal lateralFreshwater and freshwater mud system will be used to drill the surface hole. High water table: _No high water table anticipated Surface drainage leads to live water: Yes, closest drainage is an unnamed ephemeral tributary drainage to Hardscrabble Creek, adjacent to the south end of this location. Within the unnamed ephemeral drainage is a stock pond, about 1 mile to the northeast from this location. Tributary drainage intersects Hardscrabble Creek about 1.75 miles to the northeast from this location. Water well contamination: _No, closest stock water well is about 5/8 of a mile to the southeast, about 3/4 of a mile to south and all other water wells are 1 mile and further from this well location. Depth of these water wells range from 20' to 340'. Surface hole will be drilled with freshwater and freshwater muds to a depth of 1800' Porous/permeable soils: _No, sand sitly clay soils
(possible concerns) Salt/oil based mud: _ves, oil based invert drilling fluids for drilling the intermediate 7" casing string hole. Saltwater (brine) to be used to drill the horizontal lateralFreshwater and freshwater mud system will be used to drill the surface hole. High water table: _No high water table anticipated.  Surface drainage leads to live water: Yes, closest drainage is an unnamed ephemeral tributary drainage to Hardscrabble Creek, adjacent to the south end of this location. Within the unnamed ephemeral drainage is a stock pond, about 1 mile to the northeast from this location. Tributary drainage intersects Hardscrabble Creek about 1.75 miles to the northeast from this location. Water well contamination: _No, closest stock water well is about 5/8 of a mile to the southeast, about ¾ of a mile to south and all other water wells are 1 mile and further from this well location. Depth of these water wells range from 20' to 340'. Surface hole will be drilled with freshwater and freshwater muds to a depth of 1800'. Porous/permeable soils: _No, sand sitly clay soils. Class I stream drainage: _No Class I stream drainages in this area
(possible concerns) Salt/oil based mud: _yes, oil based invert drilling fluids for drilling the intermediate 7" casing string hole. Saltwater (brine) to be used to drill the horizontal lateralFreshwater and freshwater mud system will be used to drill the surface hole. High water table: _No high water table anticipated Surface drainage leads to live water: Yes, closest drainage is an unnamed ephemeral tributary drainage to Hardscrabble Creek, adjacent to the south end of this location. Within the unnamed ephemeral drainage is a stock pond, about 1 mile to the northeast from this location. Tributary drainage intersects Hardscrabble Creek about 1.75 miles to the northeast from this location. Water well contamination: _No, closest stock water well is about 5/8 of a mile to the southeast, about 3/4 of a mile to south and all other water wells are 1 mile and further from this well location. Depth of these water wells range from 20' to 340'. Surface hole will be drilled with freshwater and freshwater muds to a depth of 1800' Porous/permeable soils: _No, sand sitly clay soils
(possible concerns) Salt/oil based mud: _yes, oil based invert drilling fluids for drilling the intermediate 7" casing string hole. Saltwater (brine) to be used to drill the horizontal lateralFreshwater and freshwater mud system will be used to drill the surface hole. High water table: _No high water table anticipated Surface drainage leads to live water: _Yes, closest drainage is an unnamed ephemeral tributary drainage to Hardscrabble Creek, adjacent to the south end of this location. Within the unnamed ephemeral drainage is a stock pond, about 1 mile to the northeast from this location. Tributary drainage intersects Hardscrabble Creek about 1.75 miles to the northeast from this location. Water well contamination: _No, closest stock water well is about 5/8 of a mile to the southeast, about ¾ of a mile to south and all other water wells are 1 mile and further from this well location. Depth of these water wells range from 20' to 340'. Surface hole will be drilled with freshwater and freshwater muds to a depth of 1800' Porous/permeable soils: _No, sand sitly clay soils Class I stream drainage: _No Class I stream drainages in this area
(possible concerns) Salt/oil based mud: _yes, oil based invert drilling fluids for drilling the intermediate 7" casing string hole. Saltwater (brine) to be used to drill the horizontal lateralFreshwater and freshwater mud system will be used to drill the surface hole. High water table: _No high water table anticipated Surface drainage leads to live water: _Yes, closest drainage is an unnamed ephemeral tributary drainage to Hardscrabble Creek, adjacent to the south end of this location. Within the unnamed ephemeral drainage is a stock pond, about 1 mile to the northeast from this location. Tributary drainage intersects Hardscrabble Creek about 1.75 miles to the northeast from this location. Water well contamination: _No, closest stock water well is about 5/8 of a mile to the southeast, about ¾ of a mile to south and all other water wells are 1 mile and further from this well location. Depth of these water wells range from 20' to 340'. Surface hole will be drilled with freshwater and freshwater muds to a depth of 1800' Porous/permeable soils: _No, sand sitly clay soils Class I stream drainage: _No Class I stream drainages in this area

Off-site disposal of solids/liquids (in approved facility)
Other: Comments: 1800' of surface casing cemented to surface adequate to protect
freshwater zones. Reroute unnamed ephemeral drainage to go around the south
edge of this location.
euge of this location.
Soils/Vegetation/Land Use
(possible concerns)
Steam crossings: No, stream crossings anticipated.
High erosion potential: Yes possible erosion, moderate cut, up to 11.4' and moderate
fill, up to 16.3', required.
Loss of soil productivity: No, location will be restored after drilling, if nonproductive. If
productive unused portion of drillsite will be reclaimed.
Unusually large wellsite: No. 500'X270' location size required.
Damage to improvements: Slight
Conflict with existing land use/valuesSlight, surface use appears to be grassland.
Mitigation
Avoid improvements (topographic tolerance)
Exception location requested
X Stockpile topsoil
Stream Crossing Permit (other agency review)
_X_Reclaim unused part of wellsite if productive
Special construction methods to enhance reclamation
Other
Comments: Access will use existing county roads, #330. Will construct new road into this location, about 4396' into location. No special concerns
Toda into this location, about 4590 into location. No special concerns
<del></del>
Health Hazards/Noise
(possible concerns)
Proximity to public facilities/residences: None nearby, no residences within1 mile or
further in any direction from this well site.
Possibility of H2S: Slight
Size of rig/length of drilling time: Triple drilling rig/short 30 to 40 days drilling time
Mitigation:
_X_Proper BOP equipment
Topographic sound barriers
H2S contingency and/or evacuation plan
Special equipment/procedures requirements
Other:
Comments:Operational BOP and adequate surface casing should mitigate
any concerns.
Wildlife/recreation
(possible concerns)
Proximity to sensitive wildlife areas (DFWP identified): None identified
Proximity to recreation sites: None
Creation of new access to wildlife habitat: No

Conflict with game range/refuge management: No
Threatened or endangered Species: Species identified as threatened by the USFWS
are Pallid Sturgeon, Interior Lease Tern, Piping Plover and Whooping Crane. Species
listed as candidate species are the Greater Sage Grouse and Sprague's Pipit. NH
tracker website lists no species of concern in the Township and Range.
Mitigation:
Avoidance (topographic tolerance/exception)
Other agency review (DFWP, federal agencies, DSL)
Screening/fencing of pits, drillsite
Other:
Comments:On private surface grassland. No concerns
Historia al Ocal Garal / Dalaca et ala sela al
Historical/Cultural/Paleontological
(possible concerns)
Proximity to known sites None identified None identified
Mitigation
avoidance (topographic tolerance, location exception)
other agency review (SHPO, DSL, federal agencies)
Other:
Comments:On private surface grassland.
Social/Economic
(possible concerns)
Substantial effect on tax base
Create demand for new governmental services
Population increase or relocation
Comments:No concerns.
Remarks or Special Concerns for this site
Well is a 919,534'MD/10,104'TVD single lateral horizontal Bakken Formation.
Summary: Evaluation of Impacts and Cumulative effects
No long torm imports synapted. Come short torm synface imposts will accom-
No long term impacts expected. Some short term surface impacts will occur.

I conclude that the approval of the subject Notice of Intent to Drill (does/<u>does not</u>) constitute a major action of state government significantly affecting the quality of the

human environment, and (does/ <u>does not</u> ) require the preparation of an environmental impact statement.
Prepared by (BOGC): <u>/s/Steven Sasaki</u>
Date: March 24, 2011 Other Persons Contacted:
Montana Bureau of Mines and Geology, GWIC website
(Name and Agency) <u>Richland County water wells</u>
(subject discussed)  March 24, 2011 (date)
US Fish and Wildlife, Region 6 website (Name and Agency) ENDANGERED, THREATENED, PROPOSED AND CANDIDATE SPECIES MONTANA COUNTIES, Richland County (subject discussed)
_March 24, 2011_ (date)
Montana Natural Heritage Program Website (FWP) (Name and Agency) Heritage State Rank= S1, S2, S3, T25N R55E (subject discussed)
_March 24, 2011_ (date)
If location was inspected before permit approval: Inspection date: Inspector: Others present during inspection:
Culoro procent dannig inspection.